THE LIGHT DRAFT

"BRANTFORD"

SULKY PLOW

—AND—

"Nor'-West"

SULKY GANG PLOW,

MANUFACTURED BY

COCKSHUTT PLOW CO.

LIMITED,

BRANTFORD, - ONT.

The only Plow Makers in the Dominion of Canada who have yet Sold or Exhibited Sulky Plows of their own Manufacture.

For Sale by

DIRECTIONS FOR FITTING BOTTOMS

—TO OUR—

'Nor'-West' Gang.

Procure a level platform about 7 ft. x 30 in., and along one edge nail a straight strip running the entire length. Then place the beams and bottoms on the platform in such a way as to have the landside of the left-hand plow along the strip. Under the front end erect a support for the ends of the beams $8\frac{3}{4}$ inches high. See that the end of the long or left hand beam sets into the right $1\frac{1}{2}$ in. from a line with the landside. Then bolt on the other bottom and see that its landside is parallel with the strip. The plow bottoms must set level on the platform. This is for setting the turf and stubble bottoms and the only change required to set the breaker bottoms is to lower the support for the beam ends to 6 in. The plow will not work right unless these conditions are complied with.

COCKSHUTT PLOW CO., Lt'd.

Cockshutt's 'Nor-'West'



SHOWING FURROW SIDE.

12 Inch Bottoms Rigged with Either Rolling
for either 3 or 4 F

West' Sulky Gang Plow.

Specially adapted for the great Wheat Farms of the North-West.

her Rolling Coulters or Jointers and Arranged
her 3 or 4 Horses.

The " Brantford Sulky " has the best device for lifting out of the furrows whereby the hand and the foot both assist in raising it. All complications of a *horse-power lift* are done away with and a small boy can operate it with ease.

We are how turning out plows that we are not ashamed to place along side with the best *American as equal* in every particular, viz. : Material, Finish, Temper and Working. We use the very best American steel, fit in the most careful manner, temper all the working parts and guarantee our extras to fit well. Special care is given to plows for Manitoba. We have the best facilities in the Dominion for making good Plows and give our entire attention to their manufacture only.

"E

S

CHI

12, 14

THE

"Brantford" Sulky

SAME PATTERN AS THE "BROWNE"

MANUFACTURED WITH EITHER

CHILLED OR STEEL BOTTOMS,

ROLLING COULTERS OR JOINTERS.



12, 14 or 16 inch. cut, arranged for either two or three horses.

We are the *Pioneer Sulky Plow Manufacturers in the Dominion,* and have sold over *eighty "Brantford Sulkies" and six "Nor'-West" Gangs in Ontario* during the fall of 1883, and the universal report of them is that they are giving first-class satisfaction, and those farmers who have taken pains to estimate the profits of using *sulky plows* say they effect a saving of *sixty cents* per acre over using walking plows, and a person with three horses and a 16 inch sulky can plow nearly or quite as much as two men and four horses with two walking plows and do it easier and much better, especially in hard land, and the *draft does not exceed that of a walking plow, it being fully compensated for by the decrease of friction on the bottom of the plow, because of its being carried on wheels.*

Cockshutt Plow Co., L'td.